



OVER-THE-COUNTER MEDICINE SAFETY

UNDERSTANDING THE LABEL

Drug Facts help you understand the medicines that you take and how to take them safely. All medicines should be taken with the direct supervision of a parent or trusted adult.



ACTIVE INGREDIENTS

The ingredients in the medicine that make it work.




WARNINGS

Safety information, including side effects, the questions you should ask a doctor before taking the medicine, and which medicines to avoid using at the same time.



OTHER INFORMATION

How to store the medicine.



USES

Describes the symptoms that the medicine treats.



DIRECTIONS

Indicates the amount or dose of medicine to take, how often to take it, and how much you can take in one day.



INACTIVE INGREDIENTS

Ingredients not intended to treat your symptoms (e.g., preservatives, flavorings).



QUESTIONS OR COMMENTS?

Call the company if you have questions about a specific medicine.



Drug Facts

Active Ingredients

Medicine 100 mg	cough suppressant	Purpose
Medicine 150 mg	nasal decongestant	

Uses Temporarily relieves:

- coughing due to minor throat and bronchial irritation
- nasal congestion

Warnings

Do not use if you have ever had an allergic reaction to this product or any of its ingredients.

Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose.

When using this product

- you may get drowsy
- be careful when driving a motor vehicle or operating machinery
- excitability may occur, especially in children

Stop use and seek medical help right away if allergic reaction occurs.

Keep out of reach of children. In case of overdose, get medical help or contact your local poison center at 1-800-222-1222.

Directions

- Tablet melts in mouth. Can be taken with or without water.

Age	Dose
adults and children 12 years and older	2 tablets every 12 hours; do not use more than 4 tablets in a 24-hour period
children 6 years to under 12 years	1 tablet every 12 hours; do not use more than 2 tablets in a 24-hour period
children under 6 years of age	ask a doctor

Other information

- store at 20°-25°C (68°-77°F)
- keep dry

Inactive ingredients

anhydrous citric acid, aspartame, magnesium stearate, mellicodextrin, modified food starch, sodium bicarbonate, D&C yellow no. 10

Questions or comments?

Call weekdays from 9 a.m. to 5 p.m. EST at 1-800-XXX-XXXX.

This is not an actual Drug Facts label.

